

es_realizer_ind_Rrframe_compseq_tag_def^{0,22}

```
es_realizer_ind_Rrframe{es_realizer_ind_Rrframe_compseq_tag_def:ObjectId}  
  (v11,v12,v13.rframe(v11;v12;v13);  
   v21,v22,v23.bframe(v21;v22;v23);  
   v31,v32,v33.iframe(v31;v32;v33);  
   v41,v42,v43,v44,v45.pre(v41;v42;v43;v44;v45);  
   v51,v52,v53,v54,v55,v56.sends(v51;v52;v53;v54;v55;v56);  
   v61,v62,v63,v64,v65,v66.effect(v61;v62;v63;v64;v65;v66);  
   v71,v72,v73.sframe(v71;v72;v73);  
   v81,v82,v83,v84.frame(v81;v82;v83;v84);  
   v91,v92,v93,v94.init(v91;v92;v93;v94);  
   v101,v102,v103,v104.plus(v101;v102;v103;v104);  
   none;  
   L;  
   x;  
   loc)
```

```
≡def compseq(case @loc: only members of L read x of  
  Rnone => none  
  Rplus(left,right)=> rec1,rec2.plus(left;right;rec1;rec2)  
  Rinit(loc,T,x,v)=> init(loc;T;x;v)  
  Rframe(loc,T,x,L)=> frame(loc;T;x;L)  
  Rsframe(lnk,tag,L)=> sframe(lnk;tag;L)  
  Reffect(loc,ds,knd,T,x,f)=> effect(loc;ds;knd;T;x;f)  
  Rsends(ds,knd,T,l,dt,g)=> sends(ds;knd;T;l;dt;g)  
  Rpre(loc,ds,a,T,P)=> pre(loc;ds;a;T;P)  
  Riframe(loc,k,L)=> iframe(loc;k;L)  
  Rbframe(loc,k,L)=> bframe(loc;k;L)  
  Rrframe(loc,x,L)=> rframe(loc;x;L);  
  rframe(loc;x;L))
```