

Inference at * 1 0 4 2 1
of proof for Lemma eq_int_cases_test:

1. $A : \text{Type}$
 2. $x : A$
 3. $y : A$
 4. $P : A \rightarrow \mathbb{P}$
 5. $i : \mathbb{Z}$
 6. $j : \mathbb{Z}$
 7. $bb : \mathbb{B}$
 8. $(i =_0 j) = bb$
 9. $P(\text{if } (i =_0 j) \text{ then } x \text{ else } y \text{ fi})$
 10. $\mathbb{B} \in \text{Type}$
 11. $(i =_0 j) \in \mathbb{B}$
 12. $\forall bb:\mathbb{B}. ((i =_0 j) = bb) \in \text{Type}$
- $\vdash P(\text{if } (i =_0 j) \text{ then } x \text{ else } y \text{ fi})$
by ($\backslash p.\text{let } A = \text{get_term_arg } 'A' \text{ p}$
inlet $x = \text{get_term_arg } 'x' \text{ p}$

in let $e = \text{get_term_arg } 'e' \text{ p}$
in
At ($\text{get_term_arg } 'UH' \text{ p}$)
(Subst

(mk.equal_term
(mk.set_term (dv x) A (mk.equal_term A e x))

e
x)
($\text{get_int_arg } 'i' \text{ p} + 2$)) p)

1:equality..... NILNIL

$\vdash (i =_0 j) = bb$

2:wf..... NILNIL

13. $z : \{bb:\mathbb{B} \mid (i =_0 j) = bb\}$
 $\vdash P(\text{if } z \text{ then } x \text{ else } y \text{ fi}) \in \mathbb{P}$

3:

9. $P(\text{if } bb \text{ then } x \text{ else } y \text{ fi})$

10. $\mathbb{B} \in \text{Type}$

11. $(i =_0 j) \in \mathbb{B}$

12. $\forall bb:\mathbb{B}. ((i =_0 j) = bb) \in \text{Type}$

$\vdash P(\text{if } (i =_0 j) \text{ then } x \text{ else } y \text{ fi})$