

ecl-machine3-realizes^{11,40}

```

 $\forall ds:\text{fpf}(\text{Id}; x.\text{Type}), da:\text{fpf}(\text{Knd}; k.\text{Type}), x:\text{Id}, T:\text{Type}, ks:(\text{Knd List}),$ 
 $a:(\mathbb{N} \rightarrow (k:\{k:\text{Knd}| (k \in ks)\} \rightarrow \text{decl-state}(ds) \rightarrow \text{ma-valtype}(da; k) \rightarrow T \rightarrow \mathbb{B})), snd:\text{msg-spec}(ds;$ 
 $da),$ 
 $i:\text{Id}.$ 
 $\text{normal-type}\{i:l\}$ 
 $(T)$ 
 $\Rightarrow \text{normal-ds}\{i:l\}$ 
 $(ds)$ 
 $\Rightarrow \text{normal-da}\{i:l\}$ 
 $(da)$ 
 $\Rightarrow \text{L.all}(ks; \text{Knd}; k.((\uparrow\text{isrcv}(k)) \Rightarrow (i = \text{destination}(\text{lnk}(k)) \in \text{Id})))$ 
 $\Rightarrow \text{msg-spec-loc-decl}(snd; i; da)$ 
 $\Rightarrow \text{L.all}(ks; \text{Knd}; k.(\uparrow\text{fpf-dom}(\text{Kind-deq}; k; da)))$ 
 $\Rightarrow (\neg(\uparrow\text{fpf-dom}(\text{id-deq}; x; ds)))$ 
 $\Rightarrow \text{R-realizes}\{i:l\}$ 
 $(\text{ecl-machine3}(ds; da; x; T; ks; a; snd);$ 
 $\text{es.l\_all}(\text{remove-repeats}(\text{idlnk-deq}; \text{msg-spec-links}(snd));$ 
 $\text{IdLnk};$ 
 $l.(\text{es-decls}(es;\text{source}(l);\text{fpf-join}(\text{id-deq}; ds; \text{fpf-single}(x; T));da)$ 
 $\Rightarrow \text{with decls fpf-join}(\text{id-deq}; ds; \text{fpf-single}(x; T))$ 
 $da$ 
 $\text{sends on } l \text{ from } e$ 
 $\text{include if } \text{deq-member}(\text{Kind-deq}; \text{es-kind}(es; e); ks)$ 
 $\text{then tagged-list-messages}(\text{es-state-when}(es; e);$ 
 $\text{es-val}(es; e);$ 
 $(\text{ecl-m3}(a; snd; x; l)$ 
 $(\text{es-kind}(es; e))))$ 
 $\text{else } []$ 
 $\text{fi}$ 
 $\text{and only these for tags in } \text{ecl-tags}(l; snd)))$ 

```